

Pfortmueller CA, Pauchard-Neuwerth SE, Leichtle AB, Fiedler GM, Exadaktylos AK, Lindner G. Primary Hyperventilation in the Emergency Department: A First Overview. PLoS One. 2015 Jun 25;10(6):e0129562. doi: 10.1371/journal.pone.0129562. PMID: 26110771; PMCID: PMC4482441.

Lum LC. 1975. Hyperventilation: The tip and the iceberg. Journal of Psychosomatic Research, 19, 375-383.

Williams CYK, Williams RWK, Knight R, Hashmi S, Donnelly N, Bance M. Hyperventilation Syndrome: Investigating the Relationship Between Nijmegen Questionnaire, Vestibular Function Tests, and Patient Symptoms. Otol Neurotol. 2020 Mar;41(3):e349-e356. doi: 10.1097/MAO.0000000000002531. PMID: 31821257.

Londono E. Breathing their way to an altered state. New York Times, January 9, 2024. [To Prepare for Psychedelic Therapy, Doctors Breathe Their Way to an Altered State - The New York Times \(nytimes.com\)](https://www.nytimes.com/2024/01/09/health/psychedelic-therapy-doctors-breathe-their-way-to-an-altered-state.html)

Posse S, Olthoff U, Weckesser M, Jäncke L, Müller-Gärtner HW, Dager SR. Regional dynamic signal changes during controlled hyperventilation assessed with blood oxygen level-dependent functional MR imaging. AJNR Am J Neuroradiol. 1997 Oct;18(9):1763-70. PMID: 9367329; PMCID: PMC8338452.

Fincham GW, Kartar A, Uthaug MV, et al. High ventilation breathwork practices: An overview of their effects, mechanisms, and considerations for clinical applications. Neurosci Biobehav Rev. 2023;155:105453. doi:10.1016/j.neubiorev.2023.105453

Stadler G, Steurer J, Dür P, Binswanger U, Vetter W. Elektrolytveränderungen während und nach willkürlicher Hyperventilation [Electrolyte changes during and after voluntary hyperventilation]. Praxis (Bern 1994). 1995 Mar 21;84(12):328-34. German. PMID: 7701171.

Steurer J, Pei P, Vetter W. Einfluss einer kurzzeitigen Hyperventilation auf die Konzentration des ionisierten Serumcalciums [The effect of short-term hyperventilation on the concentration of ionized serum calcium]. Dtsch Med Wochenschr. 1997 Jul 11;122(28-29):887-9. German. doi: 10.1055/s-2008-1047705. PMID: 9264919.

Diler RS. Panic Disorder in Children and Adolescents. Yonsei Med J. 2003 Feb;44(1):174-179. <https://doi.org/10.3349/ymj.2003.44.1.174>

Kessler RC, Chiu WT, Jin R, Ruscio AM, Shear K, Walters EE. The epidemiology of panic attacks, panic disorder, and agoraphobia in the National Comorbidity Survey Replication. Arch Gen Psychiatry. 2006 Apr;63(4):415-24. doi: 10.1001/archpsyc.63.4.415. PMID: 16585471; PMCID: PMC1958997.

Tietbohl-Santos B, Chiamenti P, Librenza-Garcia D, Cassidy R, Zimmerman A, Manfro GG, Kapczinski F, Passos IC. Risk factors for suicidality in patients with panic disorder: A systematic review and meta-analysis. Neurosci Biobehav Rev. 2019 Oct;105:34-38. doi: 10.1016/j.neubiorev.2019.07.022. Epub 2019 Jul 31. PMID: 31376408.

De La Vega D, Giner L, Courtet P. Suicidality in Subjects With Anxiety or Obsessive-Compulsive and Related Disorders: Recent Advances. Curr Psychiatry Rep. 2018 Mar 28;20(4):26. doi: 10.1007/s11920-018-0885-z. PMID: 29594718.

Pollack MH, Marzol PC. Panic: course, complications and treatment of panic disorder. *J Psychopharmacol.* 2000;14(2 Suppl 1):S25-30. doi: 10.1177/02698811000142S104. PMID: 10888028.

Work group on panic disorder, American Psychiatric Association. Practice guidelines for the treatment of patients with panic disorder. 2nd edition, 2010. [Practice Guideline for the Treatment of Patients With Panic Disorder, 2nd Edition \(psychiatryonline.org\)](#)

Walter HJ, Bukstein OG, Abright AR, et al. Clinical Practice Guideline for the Assessment and Treatment of Children and Adolescents With Anxiety Disorders. *J Am Acad Child Adolesc Psychiatry.* 2020;59(10):1107-1124. doi:10.1016/j.jaac.2020.05.005

MW, Tuby KS, Gould RA, McLean RY, Pollack MH. An effect-size analysis of the relative efficacy and tolerability of serotonin selective reuptake inhibitors for panic disorder. *Am J Psychiatry.* 2001;158(12):1989-1992. doi:10.1176/appi.ajp.158.12.1989

Chawla N, Anothaisintawee T, Charoenrungrueangchai K, Thaipisuttikul P, McKay GJ, Attia J, Thakkestian A. Drug treatment for panic disorder with or without agoraphobia: systematic review and network meta-analysis of randomised controlled trials. *BMJ.* 2022 Jan 19;376:e066084. doi: 10.1136/bmj-2021-066084. PMID: 35045991; PMCID: PMC8767458.

Pollack MH, Lepola U, Koponen H, Simon NM, Worthington JJ, Emilien G, Tzanis E, Salinas E, Whitaker T, Gao B. A double-blind study of the efficacy of venlafaxine extended-release, paroxetine, and placebo in the treatment of panic disorder. *Depress Anxiety.* 2007;24(1):1-14. doi: 10.1002/da.20218. PMID: 16894619.

Sugarman MA, Loree AM, Baltes BB, Grekin ER, Kirsch I. The efficacy of paroxetine and placebo in treating anxiety and depression: a meta-analysis of change on the Hamilton Rating Scales. *PLoS One.* 2014;9(8):e106337. Published 2014 Aug 27. doi:10.1371/journal.pone.0106337

Bighelli I, Castellazzi M, Cipriani A, Girlanda F, Guaiana G, Koesters M, Turrini G, Furukawa TA, Barbui C. Antidepressants versus placebo for panic disorder in adults. *Cochrane Database Syst Rev.* 2018 Apr 5;4(4):CD010676. doi: 10.1002/14651858.CD010676.pub2. PMID: 29620793; PMCID: PMC6494573.

Rapaport MH, Wolkow R, Rubin A, Hackett E, Pollack M, Ota KY. Sertraline treatment of panic disorder: results of a long-term study. *Acta Psychiatr Scand.* 2001;104(4):289-298. doi:10.1034/j.1600-0447.2001.00263.

Magellan Healthcare. Magellan's adopted clinical practice guideline for the treatment of patients with panic disorder. 2017. [Panic Disorder Clinical Practice Guideline \(magellanprovider.com\)](#)

Hengartner MP, Schulthess L, Sorensen A, Framer A. Protracted withdrawal syndrome after stopping antidepressants: a descriptive quantitative analysis of consumer narratives from a large internet forum. *Ther Adv Psychopharmacol.* 2020;10:2045125320980573. Published 2020 Dec 24. doi:10.1177/2045125320980573

Framer A. What I have learnt from helping thousands of people taper off antidepressants and other psychotropic medications. *Ther Adv Psychopharmacol.* 2021;11:2045125321991274. Published 2021 Mar 16. doi:10.1177/2045125321991274

Katz G. Tachyphylaxis/tolerance to antidepressants in treatment of dysthymia: results of a retrospective naturalistic chart review study. *Psychiatry Clin Neurosci*. 2011;65(5):499-504. doi:10.1111/j.1440-1819.2011.02231.x

Gaudlitz K, Plag J, Dimeo F, Ströhle A. Aerobic exercise training facilitates the effectiveness of cognitive behavioral therapy in panic disorder. *Depress Anxiety* 2015; 32: 221-228

Nardi AE, Freire RC, Mochcovitch MD, et al. A randomized, naturalistic, parallel-group study for the long-term treatment of panic disorder with clonazepam or paroxetine. *J Clin Psychopharmacol*. 2012;32(1):120–126. doi: 10.1097/JCP.0b013e31823fe4bd

Medscape. Drug therapy prevents panic attacks, but relapse very common. Accessed on May 11, 2015 online at <http://www.medscape.com/viewarticle/842251>. (Nardi 2015 presentation at a meeting was summarized here.)

Strayhorn J Jr. Editorial: Cognitive-Behavioral Therapy Versus Serotonin Reuptake Inhibitors for Pediatric Obsessive-Compulsive Disorder. *J Am Acad Child Adolesc Psychiatry*. 2020;59(2):219-221. doi:10.1016/j.jaac.2019.03.015

Greenberger, D., & Padesky, C. A. (2016). *Mind over mood: Change how you feel by changing the way you think* (2nd ed.). Guilford Press.

Strayhorn JM 2023 *A Programmed Course in Anxiety Reduction and Courage Skills, Second Edition*, Wexford, PA, Psychological Skills Press

Gerritsen RJS, Band GPH. Breath of Life: The Respiratory Vagal Stimulation Model of Contemplative Activity. *Front Hum Neurosci*. 2018 Oct 9;12:397. doi: 10.3389/fnhum.2018.00397. PMID: 30356789; PMCID: PMC6189422.

Russo MA, Santarelli DM, O'Rourke D. The physiological effects of slow breathing in the healthy human. *Breathe* 2017; 13: 298–309.

Meuret AE, Wilhelm FH, Ritz T, Roth WT. Feedback of end-tidal pCO₂ as a therapeutic approach for panic disorder. *J Psychiatr Res*. 2008 Jun;42(7):560-8. doi: 10.1016/j.jpsychires.2007.06.005. Epub 2007 Aug 3. PMID: 17681544; PMCID: PMC2890048

Pappas S. 2010. To stave off panic, don't take a deep breath. [To Stave Off Panic, Don't Take a Deep Breath | Live Science](#)

Banushi B, Brendle M, Ragnhildstveit A, Murphy T, Moore C, Egberts J, Robison R. Breathwork Interventions for Adults with Clinically Diagnosed Anxiety Disorders: A Scoping Review. *Brain Sci*. 2023 Feb 2;13(2):256. doi: 10.3390/brainsci13020256. PMID: 36831799; PMCID: PMC9954474.

Schmidt NB, Woolaway-Bickel K, Trakowski J, Santiago H, Storey J, Koselka M, Cook J. Dismantling cognitive-behavioral treatment for panic disorder: questioning the utility of breathing retraining. *J Consult Clin Psychol*. 2000 Jun;68(3):417-24. doi: 10.1037//0022-006x.68.3.417. PMID: 10883558.

Jones M, Harvey A, Marston L, O'Connell NE. Breathing exercises for dysfunctional breathing/hyperventilation syndrome in adults. *Cochrane Database Syst Rev.* 2013 May 31; (5):CD009041. doi: 10.1002/14651858.CD009041.pub2. PMID: 23728685.

Kim S, Wollburg E, Roth WT. Opposing breathing therapies for panic disorder: a randomized controlled trial of lowering vs raising end-tidal P(CO₂). *J Clin Psychiatry.* 2012 Jul;73(7):931-9. doi: 10.4088/JCP.11m07068. PMID: 22901344.